

Two new programs for International Rural Poultry Centre of the KYEEMA Foundation in 2009

The International Rural Poultry Centre (IRPC) is a subsidiary entity within the KYEEMA Foundation, a not-for-profit organisation based in Brisbane, Australia (<http://www.kyeemafoundation.org>) with programs around the world. The IRPC represents world-renowned technical expertise in village poultry production and the control of Newcastle disease (ND) under village conditions. Results and experiences from a wide range of IRPC activities in southern Africa will benefit the two new programs in Angola and Mozambique, which are:

1. AHEAD seed grant for Mozambique

The IRPC has been successful in securing a grant from the Animal Health for the Environment and Development (AHEAD) initiative for improvement of village poultry production by communities in the Limpopo National Park (LNP) Support Zone in Gaza Province. The project, which starts in January 2009, will aim to contribute to food security and poverty alleviation through the improvement of husbandry practices and disease control related to village chickens. This is vital to the long-term conservation and development success of this core Mozambican section of the Great Limpopo Transfrontier Conservation Area (GLTFCA).

Specifically, this project is designed to achieve the following objectives: the sustainable control of Newcastle disease in village poultry, improved village poultry husbandry and management strategies including marketing; and improved household welfare, including improved nutrition and food security. We hope this will lead to decreased poaching and a rebounding of local wildlife populations, along with a concomitant expansion of economic opportunities associated with healthy wildlife numbers.

LNP is located in Gaza Province, which is ranked by the UNDP as one of the poorest provinces in Mozambique. Agriculture is the mainstay of the rural population in Gaza province, with mixed farming (crops and livestock) being common. Of all the livestock species, chickens are the most common. Hunting of most wildlife species is illegal within LNP, but recent surveys have confirmed that local people are continuing to hunt and trap animals to meet their own basic needs for survival. Food and economic security brought about through increased poultry production will serve to decrease hunting pressure on local wildlife populations. This is of key importance in the GLTFCA, where humans, domestic animals and wildlife are living in such close proximity.

Improved food security, poverty alleviation, HIV/AIDS mitigation and decreased bush meat consumption will result through improved village poultry production in rural populations of LNP. These projected outcomes demonstrate this project's importance within the context of the GLTFCA initiative. Given the currently fragile situation of the human and wildlife communities living within LNP, the stability provided through this constant and plentiful protein source will be crucial in finding our way to a sustainable future for the conservation area as a whole.

What is AHEAD?

To date, neither the NGOs nor the aid community nor academia have holistically addressed the landscape-level nexus represented by the triangle of wildlife health, domestic animal health, and human health.

Inside this issue

Two new programs for International Rural Poultry Centre of the KYEEMA Foundation in 2009	Pages 1 & 2
1. AHEAD seed grant for Mozambique	
2. Control of Newcastle Disease in Angola funded by the European Commission	Page 2
City Chicks	Page 3
ASVIMO update	Page 3
Congratulations to Filomena dos Anjos!	Pages 3
From Suburban Virginia to Rural Mozambique	Pages 4
IRPC Board Formation	Pages 5

The International Union for Conservation of Nature (IUCN) Veterinary Specialist Group (VSG) members are playing a key role in helping to lay the scientific foundation for an international animal health and natural resources management initiative that a consortium of organisations launched within the context of the September 2003 IUCN World Parks Congress in Durban, South Africa. The initiative is called AHEAD – Animal Health for the Environment And Development.

The Wildlife Conservation Society (WCS), IUCN VSG, and other partners helped to start AHEAD in recognition of the importance of animal health to both conservation and development interests. Around the world, domestic and wild animals are coming into ever-more-intimate contact, as we all of course know, and without adequate scientific knowledge and planning, the consequences can be detrimental on one or both sides of the proverbial fence. But armed with the tools that the health sciences provide, conservation and development objectives have a much greater chance of being realised, particularly at the critical wildlife/livestock intersection, where conservation and agricultural interests meet head-on.

AHEAD hopes to catalyse work focused on several themes of critical importance to the future of animal agriculture, human health, and wildlife health (including zoonoses, competition over grazing and water resources, disease mitigation, local and global food security, and other potential sources of conflict related to overall land-use planning and economics).

2. Control of Newcastle Disease in Angola funded by the European Commission

After quite a comprehensive preparation stage, the European Commission has recently signed a Contract with KYEEMA Foundation to implement a three year program for the Control of Newcastle Disease in Angola. The program will be working directly with the Angolan Veterinary Services Institute of the Ministry of Agriculture and Rural Development and will be based in Lubango in the south of Angola. It will be working in five Provinces, namely Kunene, Huíla, Namibe, Benguela and Huambo.

The main objective is to set up a program for the control of Newcastle Disease, undertaking pilot activities in the five southern provinces. It will entail working with the Veterinary Services Institute to produce local I-2 vaccine and set up field trials of the vaccine. It will also involve preparation and field testing of training materials and vaccination calendars, as well as training of community vaccinators.

Dr Robyn Alders undertook an inception visit in October 2008. The project commenced formally on 12 January 2009. During her visit, Robyn was informed that the Ministry of Agriculture and Rural Development plans to build a new veterinary laboratory in Lubango and they already have the plans drafted. They are also in the process of establishing twinning arrangements for their veterinary laboratory technicians as a way of increasing their capacity. They are linking with reference laboratories in Africa and internationally.

There will be a number of challenges with the program relating to laboratory facilities and Angolan legislation; however there is a strong desire from the Angolan government to get ND vaccination programs up and running as quickly as possible. We are all very excited about the start-up of this program and very hopeful that it will have a lasting positive impact for rural women who depend on chickens for a livelihood.



Articles for publication in our rural poultry e-Newsletter can be sent to:

ruralpoultry@kyeemafoundation.org

City Chick update

Even in Brisbane, Australia, we love chickens! We have had Coco and Fifi our chickens for over a year and we now own the chicken coop. We only had to buy eggs once last year because the chickens were having a rest. **André** –see photos- introduced his pets to his school mates last term and even did a presentation on them. He talks to them and picks them up to pat them. The chicken coop is moved every 6 weeks and our neighbours enjoy looking after them when we go away and they get good eggs as a reward.

*Marie-France Wellington, KYEEMA's
Website & Newsletter Coordinator*



ASVIMO UPDATE

The IRPC through the KYEEMA Foundation has been working with ASVIMO (Mozambican Association to Support Widows and Vulnerable Children), an NGO based in Sofala Province, Mozambique to help improve village poultry production, family nutrition and income generation. In the areas where the Food and Agriculture Organisation (FAO) is supporting chicken vaccination activities against Newcastle Disease, ASVIMO is helping to identify poor female headed and child headed households.

The restocking and vaccination campaigns carried out have yielded excellent results. Following community vaccinator training in 2005-2006, the total number of chickens vaccinated in Dondo district has increased from 548 in March 2005 to 20,670 in April 2008. Among the 695 households involved in the last vaccination campaign in April 2008, 297 households were from vulnerable groups including orphans, elderly and sick people. A total of 4,826 birds vaccinated belong to the ASVIMO beneficiary group. The first year of vaccinations for vulnerable groups is funded by the KYEEMA Foundation using funds donated by the GRM Social Club. Subsequent vaccination campaigns are paid for by the families themselves as they generate income through their village poultry activities.

The benefits experienced by families as a result of this restocking and vaccination campaign can be seen in the case of Senhora Andife, who cares for her grandchildren. Her family received four chickens at the end of April 2006 and they are pleased with their progress, as two of the hens now have a total of 15 chicks between them. In addition, two families who received chickens previously have returned four chickens each and these have been passed on to new families, continuing the cycle of poverty alleviation through sustainable village poultry production.

Congratulations to Filomena dos Anjos!

It is our pleasure to announce that Dr Filomena dos Anjos, who has been an avid worker in, and supporter of, village chicken activities in Mozambique and other southern African countries, has received an African Women in Agricultural Research and Development (AWARD) Fellowship for 2009-2010. She was one of 60 successful applicants from a pool of 940 applicants.

The fellowships are designed to fast track the careers of African Women in Agricultural Research and Development and are supported by the Consultative Group on International Agricultural Research (CGIAR). Mena's successful application is a strong signal of your potential as a scientist and as a leader.

The fellowship offer covers a two-year period and includes a five-day mentoring orientation workshop; monthly mentoring meetings; participation in the 7-day renowned CGIAR Women's Leadership and Management Course; participation in a world-class proposal writing course; participation in one science conference of her choice within Africa; support for a role-modelling event of her choice; access to an electronic science library; membership in a professional association; access to knowledge sharing and networking by participation in the CGIAR Gender & Diversity Program's newsletters; and a laptop computer with accessories.

From Suburban Virginia to Rural Mozambique

"Would you be interested in buying fresh, locally produced eggs?"

"If so, how much would you pay for them, and how many would you buy each week?"

"Do you prefer white or brown eggs?"

I first ventured into the worlds of poultry production and research when I was twelve years old and circulated this questionnaire among parents at my elementary school. My family had raised a few pet bantam chickens over the years, but by the fall of my sixth grade I was ready to step into the industry in a more substantial way. After analyzing the results of my survey and realizing that there would be quite a demand from parents willing to pay top dollar for fresh brown eggs, I began to draw up a three year business plan. Six months later, after procuring a \$300 loan from my parents and spending days in the backyard building a chicken coop, my order of thirty Rhode Island Red chicks arrived at the local post office. By the fall of my seventh grade year, I was selling dozens of eggs to my friends' parents every week, and a year after that I had paid back my initial investment and was turning a profit.

Fast forward to a wintry Massachusetts day a year and a half ago, when I first came across the IRPC's website while searching for information about livestock development projects in Africa. My days as a poultry entrepreneur were long gone, but as a veterinary and public health student at Tufts University I was still fascinated by the impact and import of our feathered friends on people's lives. Thanks to Dr. Robyn Alders' kind mentorship, I was able to secure funding through a Boren Fellowship to spend six weeks in Mozambique learning about some of the IRPC's work there.

The beautiful coastal capital city of Maputo is home to the IRPC's Mozambican team. This dedicated group hosted me for my first two weeks in their country, and I was able to learn about all the vital administrative tasks required for the successful implementation of poultry disease and development projects in this setting. My next stop was Limpopo National Park, a new park situated along the borders of South Africa and Zimbabwe.

While there, I participated in a vaccination campaign against several cattle diseases and gained a better understanding of an area that will soon be the focus of a new IRPC Newcastle disease control program.

To learn more about current programs in action, I travelled up the coast to the central Sofala province to meet with Dr. Brigitte Bagnol, social anthropologist and veteran IRPC consultant. We spent a week together, evaluating several poultry projects that are being implemented throughout the region in partnership with ASVIMO, a local NGO focused on meeting the needs of orphans and others affected by HIV/AIDS. It was a humbling but amazing experience to meet with these children who are benefiting from the IRPC's chicken distribution and disease control projects. Remembering my own poultry endeavours as a privileged suburban child, working solely for fun and spending money, I tried to imagine what it might be like for these orphans who depend on chickens for their own health and livelihood. Six weeks in Mozambique opened my eyes to a whole new realm of problems and possibilities, and I look forward to addressing these issues in more meaningful ways as I step out into my career next year.

*Elliott Garber
Tufts University DVM, MPH, MS Candidate, 2009*



IRPC Board Formation

In early July 2008, the International Rural Poultry Centre (IRPC) held its inaugural Board meeting. The meeting was held after the World Poultry Congress in Brisbane, while many of the Board Members were in Brisbane for the Congress. We were honoured to have guests such as Prof. Funso Sonaiya, the INFPD Chair as well as supporters of the IRPC and KYEEMA Foundation.

The need for an International Rural Poultry Centre was initiated by Prof. Peter Spradbrow and Dr Stewart Routledge after becoming concerned at the possible dissemination of the substantial Newcastle disease (ND) expertise built up in Australia over many years with the retirement of Prof. Peter Spradbrow from the University of Queensland (UQ) and the imminent reduction of Australian Centre for International Agricultural Research (ACIAR) funding for ND projects in developing countries. Setting up the IRPC was seen as a way of ensuring the sustainability of activities relating to I-2 ND vaccine production and quality assurance and ND field control activities.

The IRPC was thus set up to promote cost-efficient, sustainable improvements to village poultry production and to assist with a sustainable supply of the I-2 ND master seed. It is also intended that the IRPC will take responsibility for training of appropriate laboratory and field staff for countries that request the I-2 ND vaccine (which is available free-of-charge under certain conditions, as ACIAR holds the intellectual property rights to the vaccine). This training will ensure that the vaccine is produced to the required quality standard, that fieldwork is undertaken in a manner that will ensure the vaccine is used with success and that field workers are aware of simple, cost-effective husbandry practices that can further improve production.

Stewart announced the IPRC Board Members, as follows: Professor Peter Spradbrow, Chair; Dr Robyn Alders, Deputy Chair; Stewart Routledge; Dr John Copland; Dr Bob Pym; Dr Joanne Meers; Dr Rosa Costa; Dr Brigitte Bagnol; Dr Mary Young; Celia Grenning; Simon Gaylard; Louise Grayson and Marie-France Wellington.

Professor Peter Spradbrow noted that it has been 40 years since the ND vaccine project actually started. He learnt from a researcher in Budapest that heat resistance in vaccinations could be achieved. He tried it on the ND virus at the UQ laboratory and it responded well.

He then worked with a Malaysian University to develop a heat resistant vaccine, using an Australian benign strain of ND. At the time, Dr John Copland had asked what ACIAR could fund to assist the Government of Malaysia and they asked for support with a ND vaccine for village chicken.

The V-4 strain was developed, but it was commercialised by the Malaysian Veterinary Laboratory that also supported the V-4 development. So with ACIAR support, Prof. Spradbrow started again and developed the I-2 thermotolerant strain that we are using in the field today. The strain is not under patent, which means the masterseed is available free of charge to any government that is willing to abide by rules for its preparation and sale. UQ holds the masterseed on behalf of ACIAR. If anyone would like more information on this, please read the next article. For information on the I-2 ND masterseed, please contact Prof. Peter Spradbrow at p.spradbrow@uq.edu.au or Dr Joanne Meers at j.meers@uq.edu.au.

Article on "Thermostable vaccine's history" written by Prof. P. B. Spradbrow is attached to this eNewsletter for further reading.

Best wishes for 2009!!!

Bonne Année!

Boas Festas!

From

**The KYEEMA Team and
the new IRPC Board**

www.kyeemafoundation.org

NB: The opinions expressed in articles contained in this e-Newsletter are the author's and do not necessarily reflect the opinions of the e-Newsletter editors.

Thermostable Vaccines in the Control of Newcastle Disease in Village Chickens – A History

All of the work that is being undertaken on vaccinating village chickens using thermo-tolerant vaccines would not have been possible if it were not for the work of several dedicated people who saw the need for this type of vaccine and worked to ensure it was created and could be made freely available to those governments wishing to use it domestically for non-commercial purposes. Following is the history of the I-2 ND vaccine as written by Professor Peter Spradbrow. He has also prepared a Conference paper which contains more detail, for those interested. It will be published shortly in the proceedings of the conference by the Australian Centre for International Agricultural Research (ACIAR).

Summary

Veterinary and virological interest in Newcastle disease virus dates from the 1920s. Early studies included the development of vaccines, and vaccines are a continuing enterprise. In Australia vaccine studies became possible after 1966 when it was demonstrated that avirulent strains of Newcastle disease virus were endemic in local flocks. Until then Newcastle disease was not recognised in Australia except for a brief incursion in the 1930s. The commercial poultry industry sponsored the first vaccine trials with the new virus, strain V4. Later, when the ACIAR initiated projects on protecting village chickens against Newcastle disease, V4 was available as a potential vaccine. ACIAR support continued for some 15 years and other national and international agencies eventually became involved.

Where did Newcastle disease come from?

With what event do we start a history of Newcastle disease? For readers of the English language the initial study is usually accepted as that of Doyle in 1927. He described a “new” disease of chickens that occurred at Newcastle-upon-Tyne in the UK during the previous year. He was able to distinguish it from the major infectious disease of chickens recognised at that time and called fowl plague. The causal virus of fowl plague was eventually shown to be an influenza virus and the disease is now called avian influenza. Newcastle disease also entered the Dutch literature with outbreaks, also in 1926, at sites in present day Indonesia. The new disease spread rapidly to involve the developing chicken industries in many countries.

Lancaster (1966) has written an interesting account of the documented early spread of Newcastle disease. He postulates that there may have been earlier outbreaks that were not adequately described. Of interest to the present audience, Lancaster mentions suggestions that a disease that may have been Newcastle disease was transmitted from Asia to Africa in the mid 19th century. This speculation originated in two cited reports, in Portuguese, from veterinary institutes in Mozambique. It would be of interest if these reports from 1950 and 1961 still exist.

We know now that Newcastle disease presents in several clinical forms. It is possible that only severe epizootics attracted early attention and that milder forms of the disease had long been present in small chicken flocks. Increase in virulence could be attributed to changes in the virus or to changes in husbandry of commercial chickens. It seems certain that the early spread of the disease was facilitated by movement of live birds by land and by sea.

The developing commercial poultry industry at that time was obliged to come to terms with this disease. Flocks of village chickens had no protection from the devastating disease.

The Australian story

For many decades Australia was presumed to be free of Newcastle disease. The disease had entered during the pandemic spread in the 1930s but had been eradicated by the classical methods of detection of infected or potentially infected flocks and slaughter. The causal virus, usually termed the Albiston Gorrie strain, was isolated and preserved. This is probably the oldest strain of Newcastle disease virus still available.

In Australia Dr (later Sir Macfarlane) Burnet undertook studies on the Albiston Gorrie virus. He showed for the first time that Newcastle disease virus could be cultivated in fertile hen eggs and that the virus present in allantoic fluid could be detected by a simple haemagglutination test. He further found that a simple haemagglutination inhibition test served to detect anti-viral antibody. Some sixty years later we still rely on these tests in our studies of Newcastle disease virus. Burnet also demonstrated that Newcastle disease virus could produce conjunctivitis in infected people.

With the eradication of the original outbreaks and the confinement of the Albiston Gorrie strain to a few laboratories, Australia enjoyed three decades without Newcastle disease. In 1966 Simmons in Brisbane (Simmons 1967) isolated an unusual strain of Newcastle disease virus from a local chicken. This virus, strain V4, was less pathogenic than even the mildest vaccine strains used in other countries. It caused no clinical signs when it spread between chickens by natural routes, it did not kill inoculated embryos and it produced few cytopathic changes in cultured chicken cells. Newcastle disease viruses with these properties are now termed "avirulent". Prof. Spradbrow's group and other workers soon found that such avirulent viruses were widespread in Australia. They had probably been present for some time but were unrecognised because they caused no disease.

There were two consequences. First, because the importation of any live Newcastle disease virus into Australia was forbidden the commercial industry had no access to vaccines. Australian virologists could now investigate strain V4 as a vaccine. These studies were restricted to antibody responses except in one high security laboratory that was permitted to use the Albiston Gorrie strain as a challenge virus. Other work had to be done overseas where virulent challenge viruses were available. Prof. Spradbrow's own studies were undertaken with colleagues at the Universiti Pertanian Malaysia. An excellent cooperative understanding was developed. V4 proved to be a proficient vaccine, eventually going into commercial production for the commercial industry.

The second consequence was a renewed interest in Newcastle disease virus by basic virologists. Here was a single virus that in nature supported strains that varied greatly in virulence. Some produced no clinical signs while others would kill all infected birds. Medical virologists with an interest in pathogenesis were fascinated.

Prof. Spradbrow had suggested to the poultry industry in the late 1980s that the danger with Newcastle disease in Australia was probably from a gradual increase in the virulence of Australian endemic viruses. The accidental introduction of virulent, foreign viruses seemed a lesser risk. His team looked at a collection of 45 contemporary Australian isolates but found none to cause disease in chickens (Spradbrow et.al., 1995). These 45 isolates contained the strain now known as I-2. Soon after this the local strains did change, being associated at first with other agents in the production of mild respiratory disease and finally causing clinical Newcastle disease. This was eradicated by conventional methods.

Recently developed techniques in molecular virology have allowed a partial explanation of the changes in virulence. Sequential genetic alterations can be mapped. Differentiation of virulent virus, progenitor virus that requires only a minor genetic change to become virulent, and the background V4-like viruses is now possible in the laboratory. With the elimination of the virulent virus, vaccination with V4 vaccine is used to suppress the progenitor virus.

Newcastle disease vaccines for village use

Vaccines for use in commercial flocks were produced by the standard contemporary approaches for the control of serious veterinary diseases. Crude inactivated vaccines were produced first and then virulent virus was applied together with antiserum. A later refinement was the use of viable attenuated vaccines.

These sophisticated vaccines have served the commercial industry well but they have found little use in village flocks, which are small, multi-aged and scattered. The chickens range freely during the day and are not always confined at night. Cold chains are rarely available. Commercial packaging makes the vaccines too large for village flocks and too expensive for village farmers. Governments have been unwilling to use foreign exchange to import avian vaccines.

The culture of village chicken production has not been conducive to vaccination. The owners of the chickens are usually village women- already overworked, often illiterate and neglected by government agencies. Extension workers have favoured ruminant animals and the men who manage them.

When the newly formed ACIAR started to support research activities in 1984 a major problem that came to their notice was that of Newcastle disease in village flocks. In many developing countries Newcastle disease was the greatest impediment to productivity of rural chickens. They saw the need for a new vaccine appropriate for the task, rather than trying to utilise the existing commercial vaccines with the deficiencies noted above.

Prof. Spradbrow's team suggested:

- Producing a new vaccine based on V4. They knew that V4 was relatively heat resistant and a highly heat resistant variant had already been selected in Prof. Spradbrow's laboratory.
- Delivering the vaccine on food. Village chickens in Malaysia at that time were rarely housed.
- Selecting a vaccine that would spread between chickens. Chickens can cheaply vaccinate other chickens.
- Producing vaccine locally. Imported vaccine would not be sustainable.
- Using non-SPF eggs. They could make a safe vaccine in eggs from a well-managed farm.
- Accepting a moderate level of protection. Vaccination under village conditions could not yield 100% protection.

The initial ACIAR projects

The concept for this project arose from discussions between Dr John Copland of ACIAR and Professor Latif Ibrahim from the new veterinary faculty in the Universiti Pertanian Malaysia. Prof. Spradbrow became involved because of previous collaborative work with the Malaysian group on V4 vaccine. Australia, a country then free of clinical Newcastle disease, had a history of work with the virus.

The first trials, conducted jointly by the University of Queensland and the Universiti Pertanian Malaysia, used variants of strain V4, artificially selected for enhanced heat resistance. Following successful laboratory and field trials, ACIAR supported a regional approach with confirmatory studies in Indonesia, Philippines, Thailand and Sri Lanka.

In the initial trials, V4 vaccine was presented to chickens on food. This was a concession to the lack of physical control over the chickens at the time. Eye drop vaccination has proved more effective and is now advocated where husbandry conditions are favourable.

When V4 became a commercial vaccine a new vaccine strain was required for village use to avoid legal complications. ACIAR sponsored the development at the University of Queensland of a new vaccine master seed. The result was strain I-2, another Australian avirulent virus that had properties, including heat resistance, similar to V4. The master seed, controlled by ACIAR and held at the University of Queensland, is available without cost to developing countries.

Tests with the heat resistant vaccines V4 and I-2 have been undertaken in many countries in Asia and Africa. Some of the countries have adopted one or other of these vaccines and produced them on a large scale. Vietnam is a particular example where local initiative has seen full exploitation of the vaccine.

Projects in Asia

ACIAR decided to continue the project in Malaysia and Australia and to expand it to involve Indonesia, Philippines, Sri Lanka and Thailand. An Australian support team was recruited. This included poultry production experts, pathologists, economists and epidemiologists.

Successful vaccine trials were reported from each country. It became apparent that, where chickens could readily be caught, eye drop vaccination was preferable to food vaccination. Some considered that provision of housing would be part of the price of access to vaccine. I still see this as a choice for local farmers and veterinary authorities. Oral vaccination will become increasingly important in all species and I encourage further research on food carriers for Newcastle disease vaccines.

ACIAR conducted a further international workshop in Malaysia. The Proceedings indicated to a wide audience that Newcastle disease could be controlled in village chickens (Spradbrow, 1992).

ACIAR and other agencies have supported the production and use of I-2 vaccine in further Asian countries. FAO funded the initial studies in Myanmar and ACIAR has encouraged the use of the vaccine in many areas of the country. UNHCR fosters use of the vaccine in a remote refugee area of Myanmar on the border with Bangladesh. AusAID supported a successful project in Bhutan. Vietnam was a special case. A small ACIAR project allowed the production and laboratory testing of I-2 vaccine. This was successful and Prof. Spradbrow's Vietnamese colleagues told him they would conduct field trials without further financial assistance. The vaccine is now registered and a national laboratory (NAVETCO) produces some 14 million doses of I-2 each year (Tu, 2001). Some is exported to Cambodia and the Lao Republic. I-2 master seed has also been sent to Iran and successful laboratory tests have been reported from China.

Several other Asian countries are attempting to control Newcastle disease in village chickens but they are using conventional heat-labile vaccines. It is of interest that the complex village chicken project in Bangladesh, often referred to as the Bangladesh model, seems to have developed from an initial enterprise focused on the control of Newcastle disease.

Projects in Africa

Newcastle disease has also been an enduring problem in village flocks in Africa. Local scientists had learnt of the new heat resistant vaccines from the ACIAR workshops in Asia and FAO workshops in Africa. Both V4 and I-2 master seeds have been produced at PANVAC in Ethiopia. Further distributions from this source are not well documented. I-2 or V4 master seeds have gone from Australia to countries including South Africa, Uganda, Nigeria, Zimbabwe, Ghana, Mozambique and Senegal. Mauritius produced its own master seed from V4 virus obtained from a virus repository in the USA. V4 vaccine from Malaysia has been used in The Gambia. Commercial V4 vaccine has been used in West Africa.

Studies that resulted in formal publications are easier to trace. Dr Robyn Alders has reported effective trials from ACIAR projects in both Zambia and Mozambique. Tanzanian workers have tested both V4 and I-2 vaccines in the laboratory and in the field. Dr Ann Foster tested V4 vaccine in villages near Dodoma in Tanzania on an ACIAR project. She showed that villagers and NGOs, without formal input from government or universities, could conduct successful trials.

The Australian government funded Southern Africa Newcastle Disease Control project (SANDCP) resulted from a planning workshop. All the countries of the SADC were invited to the workshop that was

held in Maputo. The design team visited many of the SADC countries and most countries sent delegates to a final workshop held in Johannesburg. SANDCP was managed by Dr Robyn Alders and was implemented in Mozambique, Malawi and Tanzania from July 2002 – November 2005. Independent Australian government reviewers noted “The participants in this project can be justifiably proud of its achievements. SANDCP made significant achievements in capacity building, community development and poverty alleviation through developing and implementing a model for Newcastle disease control that should be sustainable. As a result Mozambique, Malawi and Tanzania are now world leaders in the control of Newcastle disease in village chickens and are continuing to produce and use increasing amounts of vaccine. On several occasions during this review, village leaders expressed their appreciation and thanks for the project and the benefits that it had brought to their communities.”

Networks and training

Agencies other than ACIAR have become involved in the projects, supporting vaccine activities in country or training projects at home or in Australia. These agencies include FAO, UNHCR, World Bank, IAEA and AusAID. Many NGOs have been supportive.

Vaccine production and testing was only the foundation for the successful projects. Sustainable vaccination campaigns have required vaccine production in-country and this depended on appropriate training at international workshops or at the University of Queensland.

Practical workshops concerned with vaccine production and vaccination have been required to transfer skills. Six short training workshops sponsored by ACIAR and other agencies have been held in developing countries. These were in Pretoria (for 16 African countries), in Dar es Salaam (for Tanzania and Mozambique), and in Ghana, Myanmar, Bhutan and Cambodia. Delegates have attended either a short (usually two days) administrative workshop or a longer practical laboratory workshop. The administrative workshops have been taught by Dr Robyn Alders and Professor Peter Spradbrow. Topics have included Newcastle disease, Newcastle disease vaccines and extension activities. Ms Sally Grimes has conducted the practical workshops, concentrating on vaccine production and testing, and serological tests. Intensive laboratory courses, to three months in duration, were conducted at the John Francis Virology Laboratory and funded by various international agencies.

Scattered groups of scientists with common interests have been termed “invisible colleges”. The sources of information mentioned above have helped bind these groups. The internet now allows us to formalise these groups and to share information. The International Network for Family Poultry Development (formerly the African Network for Rural Poultry Development) has been very beneficial. Their website and electronic newsletter are recommended. A website that arose from the ACIAR project is now operated by the KYEEMA Foundation (www.kyeemafoundation.org).

Also essential to the success of projects has been the development of new extension materials and activities. These have targeted all the stakeholders - the women who are the traditional keepers of village chickens, the people who will do the vaccinations, and all the levels of bureaucracy where pertinent decisions are made. Dr Robyn Alders has initiated and developed much of this material.

*P. B. Spradbrow
Professor Emeritus, Formerly of John Francis Virology Laboratory
Department of Veterinary Pathology
School of Veterinary Science
University of Queensland, Brisbane, Australia*

References

- Alders, R. G. and Spradbrow, P. B. (2001) SADC Planning workshop on Newcastle Disease Control in Village Chickens. Proceedings No. 103. Australian Centre for International Agricultural Research. Canberra. pp 170.
- Doyle, T. M. (1927) *Journal of Comparative Pathology* 40 144-169. A hitherto unrecorded disease of fowls due to a filter-passing virus.
- Foster, A., Chitukuro, H. R., Tuppa, E., Mwanjala, T. and Kusila, C. (1999) *Veterinary Microbiology* 68 127-130 Thermostable Newcastle disease vaccines in Tanzania.
- Grimes, S. E. (2002) Report. I-2 Newcastle Disease Vaccine. Summary of Experiments at John Francis Virology Laboratory January 2001 to December 2001.
- Lancaster, J. E. (1966) Newcastle Disease. A Review of Some of the Literature Published Between 1926 and 1964. Monograph No. 3. Canadian Department of Agriculture. Ottawa. pp188.
- Simmons, G. C. (1967) *Australian Veterinary Journal*. 43 29-31. The isolation of Newcastle disease virus in Queensland.
- Spradbrow, P. B. ed (1992) Newcastle Disease in Village Chickens. Control with Thermostable Oral Vaccines. Proceedings No. 39. Australian Centre for International Agricultural Research. Canberra. pp189.
- Spradbrow, P. B. (1993/94) *Poultry Science Reviews*. 8 57-96. Newcastle disease in village chickens.
- Spradbrow, P. B., MacKenzie, M. and Grimes, S. E. (1995) *Veterinary Microbiology* 46 21-28. Recent isolates of Newcastle disease virus in Australia.
- Tu, T. D. (2001) in Alders, R. G. and Spradbrow, P. B. eds SADC Planning Workshop on Newcastle Disease Control in Village chickens. Proceedings No. 103. Australian Centre for International Agricultural Research. Canberra. Village chicken production in Vietnam and Newcastle disease control with thermostable vaccine. pp 110-114.